

ASSIGNED

Nº 41532

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUN 16 1980

Returned to applicant for correction

Corrected application filed

Map filed JUN 16 1980

The applicant Louis L. Eickmeyer & Mary Ann Eickmeyer

P.O. Box 3095, of State Line NV 89449
Street and No. or P.O. Box No. City or Town

State and Zip Code No., hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground
Name of stream, lake or other source.

2. The amount of water applied for is 1 c.f.s. second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for Quasi-Municipal purposes
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: SE¼ of the NE¼ of Sec. 23,

T.13N., R.18E., MDB&M. or at a point from which the East ½ Cor. of said
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
Sec. 23, bears S. 40° 20' 37" E. 1147.75'.
it should be stated.

6. Place of use. E¼ of the NE¼ of Sec. 23, T.13N., R18E., MDB&M SE¼ of the SE¼
Describe by legal subdivision, if on unsurveyed land it should be so stated.
Sec 14., T.13N., R18E., M.D.B.&M.

7. Use will begin about Jan 1 and end about Dec 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) a 14" well drilled to a depth of 52'

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....\$35,000.00
10. Estimated time required to construct works.....5 years
11. Estimated time required to complete the application to beneficial use.....10 years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

78 Dwelling Units

Applicant.....

By s/William A. Reinken
711 W. Telegraph St.
Carson City, NV 89701

Compared.....js/ ja js/c

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all existing rights on the source not to exceed 0.5 c.f.s. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to any other ground water development in the area. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This permit is subject to the final allocation of the State of Nevada under the California-Nevada Interstate Compact Commission. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined annual duty of water under Permit 17778, Certificate 6265 and Permit 41532 shall not exceed 16,242,500 gallons annually.

(CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.5.....cubic feet per second, but not to exceed 14.235 million gallons annually.

Actual construction work shall begin on or before.....

Proof of commencement of work shall be filed before.....

Work must be prosecuted with reasonable diligence and be completed on or before.....November 4, 1986

Proof of completion of work shall be filed before.....December 4, 1986

Application of water to beneficial use shall be made on or before.....November 4, 1992

Proof of the application of water to beneficial use shall be filed on or before.....December 4, 1992

Map in support of proof of beneficial use shall be filed on or before.....December 4, 1992

Commencement of work filed.....

Completion of work filed.....DEC 12 1986

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No.....Issued.....

Abrogated By 666195 0.5

IN TESTIMONY WHEREOF, I.....PETER G. MORROS
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 4th day of November

A.D. 1985

Peter G. Morros

State Engineer

(PERMIT TERMS CONTINUED)

The beneficial use of the amount of water granted herein is subject to development approval by the Tahoe Regional Planning Agency within the service area of the Eickmeyer Water Company. Should action by the Tahoe Regional Planning Agency eliminate or reduce the requirement of Eickmeyer Water Company to provide water service to the properties within the service area of Eickmeyer Water Company, the State Engineer may reduce the amount of water or cancel Permit 41532 consistent with this action. The State Engineer shall provide written notice to Eickmeyer Water Company or any successor in interest of intent to cancel Permit 41532. Eickmeyer Water Company or any successor in interest shall then have 30 days from the date of said notice to request a public hearing before the State Engineer for the purpose of presenting any additional information, evidence or testimony prior to action by the State Engineer.

The amount of water granted under Permit 41532 is based upon information submitted to the State Engineer's office by Eickmeyer Water Company representing the estimated water need of Eickmeyer Company consistent with anticipated Tahoe Regional Planning Agency approvals.

No water right shall be sold or transferred away from the service area of Eickmeyer Water Company without the prior written consent and approval of the State Engineer.

